





INVESTOR IN PEOPLE

PRIORITY DOCUMENT SUBMITTED OR TRANSMITTED IN COMPLIANCE WITH RULE 17.1(a) OR (b)

The Pater	t Office	;	
Concept I	House		
Cardiff R			
Newport South Wa		0 1111	
South Wa	legc'd U	3 JUL	2003
NP10 8Q	Quen	P	49.50
į	10100	1	U

I, the undersigned, being an officer duly authorised in accordance with Section 74(1) and (4) of the Deregulation & Contracting Out Act 1994, to sign and issue certificates on behalf of the Comptroller-General, hereby certify that annexed hereto is a true copy of the documents as originally filed in connection with the patent application identified therein.

In accordance with the Patents (Companies Re-registration) Rules 1982, if a company named in this certificate and any accompanying documents has re-registered under the Companies Act 1980 with the same name as that with which it was registered immediately before re-registration save for the substitution as, or inclusion as, the last part of the name of the words "public limited company" or their equivalents in Welsh, references to the name of the company in this certificate and any accompanying documents shall be treated as references to the name with which it is so re-registered.


In accordance with the rules, the words "public limited company" may be replaced by p.l.c., plc, P.L.C. or PLC.

Re-registration under the Companies Act does not constitute a new legal entity but merely subjects the company to certain additional company law rules.

Signed

Dated 28 May 2003

BEST AVAILABLE COPY





P01/7700 0:00-0268508.

The Patent Office

Cardiff Road Newport South Wales NP9 1RH

Request for grant of a pater

(See the notes on the back of this form. You can also get an Fig. APR 2002 explanatory leaflet from the Patent Office to help you fill in this form)

1. Your reference

ABC/PBT39 2066 Patent application number

(The Patent Office will fill in this part)

0208508.2

112 APR 2002

3. Full name, address and postcode of the or of each applicant (underline all surnames)

PBT (IP) Limited

1 Astra Centre Edinburgh Way

Harlow Essex

CM20 2BN

If the applicant is a corporate body, give the country/state of its incorporation

Patents ADP number (if you know it)

7645 33600

Title of the invention

ELECTRICALLY CONTROLLED DOOR

LOCK

Name of your agent (if you have one)

"Address for service" in the United Kingdom to which all correspondence should be sent (including the postcode)

A A Thornton & Co 235 High Holborn London WC1V7LE

Patents ADP number (if you know it)

1550

6. If you are declaring priority from one or more earlier patent applications, give the country and the date of filing of the or of each of these earlier applications and (if you know it) the or each application number

Country

Priority application number (if you know it)

Date of filing (day / month / year)

7. If this application is divided or otherwise derived from an earlier UK application, give the number and the filing date of the earlier application

Number of earlier application

Date of filing (day / month / year)

8. Is a statement of inventorship and of right to grant of a patent required in support of this request? (Answer 'Yes' if.

a) any applicant named in part 3 is not an inventor, or

b) there is an inventor who is not named as an applicant, or

 c) any named applicant is a corporate body. See note (d))

yes

	Patents	Form	1/	77
--	----------------	------	----	----

 Enter the number of sheets for any of the following items you are filing with this form.
 Do not count copies of the same document

Continuation sheets of this form

Description

4

Claim (s)

Abstract

Drawing (s)

14/1

If you are also filing any of the following, state how many against each item.

Priority documents

Translations of priority documents

Statement of inventorship and right to grant of a patent (Patents Form 7/77)

Request for preliminary examination and search (Patents Form 9/77)

Request for substantive examination (Patents Form 10/77)

Any other documents (please specify)

11.

I/We request the grant of a patent on the basis of this application.

Signature

Date

12 April 2002

Name and daytime telephone number of person to contact in the United Kingdom

Andrew B Crawford - 020 7405 4044

Warning

After an application for a patent has been filed, the Comptroller of the Patent Office will consider whether publication or communication of the invention should be prohibited or restricted under Section 22 of the Patents Act 1977. You will be informed if it is necessary to prohibit or restrict your invention in this way. Furthermore, if you live in the United Kingdom, Section 23 of the Patents Act 1977 stops you from applying for a patent abroad without first getting written permission from the Patent Office unless an application has been filed at least 6 weeks beforehand in the United Kingdom for a patent for the same invention and either no direction prohibiting publication or communication has been given, or any such direction has been revoked.

Notes

- a) If you need help to fill in this form or you have any questions, please contact the Patent Office on 0645 500505.
- b) Write your answers in capital letters using black ink or you may type them.
- c) If there is not enough space for all the relevant details on any part of this form, please continue on a separate sheet of paper and write "see continuation sheet" in the relevant part(s). Any continuation sheet should be attached to this form.
- d) If you have answered 'Yes' Patents Form 7/77 will need to be filed.
- e) Once you have filled in the form you must remember to sign and date it.
- f) For details of the fee and ways to pay please contact the Patent Office.

ELECTRICALLY CONTROLLED DOOR LOCK

The present invention relates to door locks and more particularly to a door lock which is electrically controlled.

It is known to provide door locks which are a combination of a conventional door lock which can be activated by a key but which can also be released by means of an electrical control signal. These are common in apartment blocks.

5

10

15

20

25

Customarily, the electrical control signal is used to move a member out of position to such an extent that the locking member attached to the door no longer prevents the door being pushed open.

Despite the fact that such locks have been available for a considerable number of years, there still exists the need to provide a reliable electrically actuated arrangement at low cost and particularly one which can be installed in either a normally closed or normally open condition.

The present invention provides an electrically activated door lock in which a piezo electric member is used to control movement of a blocking member which in turn controls the latching of the door.

Preferably, the blocking member and the retaining member are shaped so as to permit movement of the blocking member to either release the locking member to allow a door to be opened or engage the member so as to prevent the door being opened.

In order that the present invention be more readily understood, an embodiment thereof will now be described by way of example with reference to the accompanying drawings in which Fig 1 shows a diagrammatic representation of an electrically activated latching mechanism according to the present invention and Fig 2 shows diagrammatically a reversing mechanism capable of altering the

operation of the mechanism shown in Fig 1 from a normally open condition to a normally closed condition.

Referring now to Fig 1, this shows diagrammatically a door 10 provided with a lock 11 having a retractable locking member 12 which is normally retracted by means of a manually engageable knob 13 or a key in the conventional manner. The latching member 12 is received in a recess in a door jamb 14 and in the normal condition is arranged to engage with a member 15 which prevents the door being opened unless the latching member 12 is retracted.

5

10

15

20

25

In order to electrically control the lock, the member 15 is pivotal in the direction of the arrow A if it is desired to permit someone without a key opening the door. The pivotal movement is sufficient to allow the latching member 12 to clear the member 15 on simply pushing the door.

Movement of the member 15 in the direction of the arrow A is controlled by a detent 20 which engages the end of the member 15 but is capable of being moved out of the way of the end of the member 15 so as to permit the member 15 to rotate in the direction of the arrow A.

Movement of the detent 20 is in turn electrically controlled by means of a blocking member 21. In one position of the blocking member 21 rotational movement of the detent 20 is inhibited due to engagement with the blocking member 21. This in turn inhibits rotational movement of the member 15 in the direction of the arrow A when the door is pushed. However, if an electrical signal is supplied to a suitable actuator, the blocking member 21 is moved to a second position where, if the door is pushed, the member 15 attempts to move in the direction of the arrow A. This causes the detent 20 to attempt to move arcuately upwards which it can now do due to the fact that the blocking member has moved to its second position. In this way, the door can simply be pushed open.

Electrical control of the blocking member 21 is achieved by means of a piezo-electric actuator which, when pulsed, will cause the blocking member to move from the first to the second position. To ensure that mechanical forces derived from the locking member are not transferred to the piezo-electric actuator 24, the blocking member 21 is resiliently coupled to the actuator 24 and in this case this is achieved by means of a spring 25.

5


10

20

25

A particular feature of the preferred embodiment is that the contact surfaces of the blocking member 21 and the detent 20 are shaped so that simply by presetting the orientation of the blocking member 21 and detent 20 the lock can operate so that the door can either be in a normally open or a normally closed condition and the application of the electrical control signal locks or opens the door as desired. In this embodiment this is achieved by the member 21 being provided with two projecting teeth 30 as shown in Fig 2 which are spaced apart. The contact surface of the detent 20 is provided with mating projections and 15 recesses with the recesses 31 being located at the same pitch as the projections 30 on the blocking member 21 and consequently spaced apart by the same amount. By arranging that on initial installation the members 21 and 20 are arranged so that the projections 30 on the member 21 are normally arranged to be received in recesses 31 in the initial unenergised condition of the piezo-electric member 24, the door will be a normally open door which when the blocking member is moved in the direction of the arrow X in Fig 2 results in the projections 30 meeting the projections 32 on the detent 20 in the event that the door is pushed which prevents the detent from rotating and consequently the door from being opened. It will be appreciated that by initially setting the reverse conditions the door will be normally closed but will be capable of being pushed open when the blocking member is moved under the control of the piezo-electric actuator so that the projections 30 mate with the recesses 31.

The manner in which the operation of the lock can be preset is a matter of design choice but could be achieved simply by providing the pivot of the detent 20 in the form of a bar along which the detent 20 is slid. Likewise, the blocking member 21 could be moved if it were located in a slide way.



THE PATENT OFFICE
29 MAY 2003
10 Patents
10 Patents
10 Patents

A. CLASSI IPC 7	FICATION OF SUBJECT MATTER E05B47/00		
According to	International Patent Classification (IPC) or to both national classifica	tion and IPC	
B. FIELDS			
IPC 7	cumentation searched (classification system followed by classification E05B	on symbols)	
Documentat	ion searched other than minimum documentation to the extent that si	uch documents are included in the fields se	arched
Electronic d	ata base consulted during the international search (name of data bas	se and, where practical, search terms used)
EPO-In	ternal, WPI Data, PAJ		
	,		
C. DOCUM	ENTS CONSIDERED TO BE RELEVANT		
Category °	Citation of document, with indication, where appropriate, of the rele	evant passages	Relevant to claim No.
Х	DE 11 38 334 B (FUSS FRITZ KG)		1
	18 October 1962 (1962-10-18)		-
	the whole document		
x	FR 2 726 847 A (NUOVA FEB FABBRIC	ا	1
^	ELETTROAPPA) 15 May 1996 (1996-05		1
	the whole document	,	
,,		54000704	•
X	EP 0 851 077 A (NUOVA F E B S R L ELE) 1 July 1998 (1998-07-01)	. FABBRICA	1
	the whole document		
Α	EP 0 757 145 A (GEZE GMBH & CO)		1,2
	5 February 1997 (1997–02–05) the whole document		
	<u> </u>		
Furti	ner documents are listed in the continuation of box C.	X Patent family members are listed	in annex.
° Special ca	tegories of cited documents :	"T" later document published after the inte	mational filing date
	ent defining the general state of the art which is not lered to be of particular relevance	or priority date and not in conflict with cited to understand the principle or the invention	
'E' earlier o	document but published on or after the international	"X" document of particular relevance; the o	
L docume	ent which may throw doubts on priority claim(s) or	cannot be considered novel or cannot involve an inventive step when the do	be considered to cument is taken alone
citatio	n or other special reason (as specified)	"Y" document of particular relevance; the c cannot be considered to involve an inv	ventive step when the
O docume	ent referring to an oral disclosure, use, exhibition or means	document is combined with one or mo ments, such combination being obvious	
	ent published prior to the international filing date but nan the priority date claimed	in the art. *&' document member of the same patent.	family
	actual completion of the international search	Date of mailing of the international sea	
_	A 1 2002	10 (00 (0000	
5	August 2003	12/08/2003	
Name and r	nalling address of the ISA European Patent Office, P.B. 5818 Patentlaan 2	Authorized officer	-
	NL - 2280 HV Rijswijk Tel. (+31-70) 340-2040, Tx. 31 651 epo nl,	_	
1	Fax: (+31-70) 340-3016	Henkes, R	



1	Interior	al Application No
İ	PCT/GB	03/01621

Patent document cited in search report		Publication date		Patent family member(s)	Publication date
DE 1138334	В	18-10-1962	NONE		
FR 2726847	Α	15-05-1996	IT ES FR	B0940502 A1 2133031 A1 2726847 A1	14-05-1996 16-08-1999 15-05-1996
EP 0851077	Α	01-07-1998	EP DE DE ES	0851077 A1 69617446 D1 69617446 T2 2163608 T3	01-07-1998 10-01-2002 04-04-2002 01-02-2002
EP 0757145	A	05-02-1997	DE DE EP	19617151 A1 19617150 A1 0757145 A2	06-02-1997 06-02-1997 05-02-1997